



# SHIKIRI

844.313.7672  
fsorb.com • info@fsorb.com



## APPLICATIONS AND USAGE

Installs with FSorb panel hanging bar with cable gripper hardware.

Can be hung suspended with one set of hardware or tension hung with two sets of hardware. These are ideal for:

- Education
- Offices
- Conference Rooms
- Retail Spaces
- Lobbies
- Coworking


## PANEL SPECIFICATIONS

Thickness	1/2"
NRC	0.75
Size	48" x 96"

*Can be ordered in custom sizes and patterns  
Different panel designs have different NRC ratings based on pattern*

*Tiered pricing available through [info@fsorb.com](mailto:info@fsorb.com). Tier 1 is our lowest, basic pricing, up to our highest pricing at Tier 3.*

## HARDWARE



## STANDARD COLORS



Light Beige, Chestnut, Red, Rose Red, Pink, Orange  
Apricot, Yellow, Sky Blue, True Blue, Ocean Blue,  
Midnight Blue, Dark Purple, Purple, Seafoam  
Green, Moss Green, Green, Dark Green, Black,  
White, Tan, Light Grey, Grey, and Charcoal

## WOOD PRINT



Beige Maple, Clean Birch, Bright Hemlock, Washed  
Old World, Warm Walnut, Smoked Oak

## PUBLICLY DISCLOSED HEALTH PRODUCT DECLARATION

FSorb has a Red List Free - Declare® Label to support HPD's for LEED and Living Building Challenge projects. They are located on the product section of the website or provided upon request. FSorb® does not contain any ozone depleting chemicals and is not classified as a hazardous air pollutant.

## FREE FROM HARMFUL PAINTS, COATINGS, ADHESIVES AND SEALANTS

No paints, coatings, adhesives or sealants are used to manufacture FSorb®. It is thermally bonded.

## SOURCING OF RAW MATERIALS

The recycled polyester comes from PET plastic fibers which are sourced from a variety of locations near the manufacturer and vary depending on availability.

Material Name	Polyester
CAS Number	#68604-67-1
Proportion	100%
Contains 0.0 VOC's	

## RECYCLED CONTENT

The recycled content varies depending on the availability of recycled PET fibers. The recycled content range is between 65% – 96% depending on product, color and location of manufacturing.




# FSorb®


# SHIKIRI

844.313.7672  
[fsorb.com](http://fsorb.com) • [info@fsorb.com](mailto:info@fsorb.com)


# Repeatable Screens




100 - TWIG  
TIER 2




101 - SEED  
TIER 2




102 - FURROW  
TIER 3




200 - SUNBEAM  
TIER 1




300 - GROVE  
TIER 1



301 - PATH  
TIER 1




302 - STONE  
TIER 1




303 - NEST  
TIER 1


# Repeatable Screens




400 - RAIN  
TIER 2




401 - CURRENT  
TIER 1




402 - RHYTHM  
TIER 1




800 - HILLSIDE  
TIER 1




500 - CONSTELLATION  
TIER 2



501 - TWINKLE  
TIER 2




502 - NOVA  
TIER 2




600 - TESSELATE  
TIER 2


# Repeatable Screens




700 - CRYSTAL  
TIER 1




701 - GEM  
TIER 1




702 - INLET  
TIER 1




703 - PYRITE  
TIER 2




1101 - WAVE  
TIER 2



1102 - PEAK  
TIER 2




1200 - COCOON  
TIER 3



1300 - FRACTURE  
TIER 2

# Seamless Mural Screens

## SPECKLED SUNBEAM




SS01  
TIER 1

SS02  
TIER 1

SS03  
TIER 1

SS04  
TIER 1

## FLOW



FLO1  
TIER 2


FLO2  
TIER 2

FLO3  
TIER 2

FLO4  
TIER 2

# Seamless Mural Screens

## STREAM



ST01  
TIER 2


ST02  
TIER 2

ST03  
TIER 2

ST04  
TIER 2

ST04  
TIER 2

## PUDDLE




PD01  
TIER 3

PD02  
TIER 3

PD03  
TIER 3

# Seamless Mural Screens

## MOUNTAIN RANGE



MR01  
TIER 2

MR02  
TIER 2

MR03  
TIER 2

## FOREST FLOOR



FF01  
TIER 3

FF02  
TIER 3

FF03  
TIER 3

FF04  
TIER 3

FF05  
TIER 3

FF06  
TIER 3